

## 1 Identification

- **Trade name:** Tulsion T-63 MP (Wet)
- **Relevant identified uses of the substance or mixture and uses advised against**  
No further relevant information available.
- **Application of the substance / the mixture**  
Industrial water treatment, Condensate Polishing Unit, Demineralization, Ultrapure water production
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
Thermax Limited, Chemical Division,  
97-E, General Block, MIDC Industrial Area,  
Bhosari, Pune 411 026  
India
- **Information department:**  
Tel: 91-20-66128100/66128226/66128224  
Off. No.: +91 -20-66128100/200  
Fax No. 020-27120206
- **Emergency telephone number:** +91 20-66128100/200  
24 hour emergency assistance: 00 91-20-66128100/200

## 2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS05 Corrosion

Eye Dam. 1 H318 Causes serious eye damage.

- **Classification according to Directive 67/548/EEC or Directive 1999/45/EC**



Irritant

Risk of serious damage to eyes.

- **Information concerning particular hazards for human and environment:**

The product has to be labeled due to the calculation procedure of international guidelines.

- **Classification system:**

The classification was made according to the latest editions of international substances lists, and expanded upon from company and literature data.

- **Label elements**

- **Labelling according to EU guidelines:**

The product has been classified and marked in accordance with directives on hazardous materials.

- **Code letter and hazard designation of product:**



Irritant

- **Risk phrases:**

Risk of serious damage to eyes.

- **Safety phrases:**

Keep out of the reach of children.

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

Wear eye/face protection.

If swallowed, seek medical advice immediately and show this container or label.

Dispose of this material and its container to hazardous or special waste collection point.

**Trade name:** *Tulsion T-63 MP (Wet)*

- **Classification system:**
- **NFPA ratings (scale 0 - 4)**



Health = 2  
 Fire = 0  
 Reactivity = 0

- **HMIS-ratings (scale 0 - 4)**



Health = 2  
 Fire = 0  
 Reactivity = 0  
 REACTIVITY  
 Y 0

- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

### 3 Composition/information on ingredients

- **Chemical characterization:** *Mixtures*
- **Description:** *Mixture of the substances listed below with nonhazardous additions.*

· **Dangerous components:**

69011-20-7	Sulfonated copolymer of styrene and divinylbenzene in the Hydrogen form	45 - 55
7732-18-5	Water	45 - 55

### 4 First-aid measures

- **Description of first aid measures**
- **After inhalation:** *Supply fresh air; consult doctor in case of complaints.*
- **After skin contact:** *Generally the product does not irritate the skin.*
- **After eye contact:** *Rinse opened eye for several minutes under running water. Then consult a doctor.*
- **After swallowing:**  
*If swallowed, wash out mouth with water provided person is conscious.*  
*If symptoms persist consult doctor.*
- **Most important symptoms and effects, both acute and delayed** *No further relevant information available.*
- **Indication of any immediate medical attention and special treatment needed**  
*No further relevant information available.*

### 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**  
*CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.*
- **Special hazards arising from the substance or mixture** *Emits toxic fumes under fire conditions.*
- **Advice for firefighters**
- **Protective equipment:**  
*No special measures required.*  
*Wear positive pressure self contained breathing apparatus (SCBA) and protective fire fighting clothing.*
- **Additional information**  
*Keep people away. Isolate fire and deny unnecessary entry. Cool surroundings with water to localize fire zone.*

**Trade name:** *Tulsion T-63 MP (Wet)*

#### 6 Accidental release measures

· **Personal precautions, protective equipment and emergency procedures**

*Evacuate personnel to safe areas.*

*Ensure adequate ventilation.*

*Avoid contact with the skin and the eyes.*

*Wear protective gloves/protective clothing/eye protection/face protection.*

*Take off contaminated clothing and shoes immediately.*

*Wash contaminated clothing before re-use.*

· **Environmental precautions:** *Do not allow to enter sewers/ surface or ground water.*

· **Methods and material for containment and cleaning up:**

*Pick up mechanically.*

*Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).*

*Ensure adequate ventilation.*

· **Reference to other sections**

*See Section 7 for information on safe handling.*

*See Section 8 for information on personal protection equipment.*

*See Section 13 for disposal information.*

#### 7 Handling and storage

· **Precautions for safe handling**

*Avoid contact with eyes and skin.*

*Ensure good ventilation/exhaustion at the workplace.*

*Prevent formation of aerosols.*

· **Information about protection against explosions and fires:** *No special measures required.*

· **Conditions for safe storage, including any incompatibilities**

· **Storage:**

· **Requirements to be met by storerooms and receptacles:** *No special requirements.*

· **Information about storage in one common storage facility:** *Store at 0-50 degree C (32-122 degree F)*

· **Further information about storage conditions:** *None.*

· **Specific end use(s)**

*Industrial water treatment,*

*Condensate Polishing Unit, Demineralization,*

*Ultrapure water production, Catalyst*

#### 8 Exposure controls/personal protection

· **Additional information about design of technical systems:** *No further data; see item 7.*

· **Control parameters**

· **Components with limit values that require monitoring at the workplace:**

*The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.*

· **Additional information:** *The lists that were valid during the creation were used as basis.*

· **Exposure controls**

· **Personal protective equipment:**

· **General protective and hygienic measures:**

*Immediately remove all soiled and contaminated clothing.*

*Wash hands before breaks and at the end of work.*

*Avoid contact with the eyes.*

· **Breathing equipment:**

*In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.*

**Trade name:** *Tulsion T-63 MP (Wet)*

· **Protection of hands:**

*The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation*

· **Material of gloves**

*The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.*

· **Penetration time of glove material**

*The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.*

· **Eye protection:**



*Tightly sealed goggles*

*Safety glasses with side-shields conforming to EN166 Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).*

· **Body protection:**

*Impervious clothing, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.*

**9 Physical and chemical properties**

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

<b>Form:</b>	<i>Solid</i>
<b>Color:</b>	<i>Grey colored spherical beads</i>
<b>Odor:</b>	<i>Absent</i>
<b>Odour threshold:</b>	<i>Not determined.</i>

· **pH-value:** *Not applicable.*

· **Change in condition**

<b>Melting point/Melting range:</b>	<i>Undetermined.</i>
<b>Boiling point/Boiling range:</b>	<i>100 °C (212 °F)</i>

· **Flash point:** *Not applicable.*

· **Flammability (solid, gaseous):** *Not determined.*

· **Ignition temperature:**

**Decomposition temperature:** *Not determined.*

· **Auto igniting:** *Auto ignition temperature: 427 Deg. C [ 800 Deg. F ]*

· **Danger of explosion:** *Product does not present an explosion hazard.*

· **Explosion limits:**

<b>Lower:</b>	<i>Not determined.</i>
<b>Upper:</b>	<i>Not determined.</i>

· **Vapor pressure at 20 °C (68 °F):** *23 hPa (17 mm Hg)*

· **Density:** *Not determined.*

· **Relative density at 20 °C (68 °F)** *0.690 g/cm<sup>3</sup> (5.758 lbs/gal)*

· **Vapour density** *Not applicable.*

**Trade name:** *Tulsion T-63 MP (Wet)*

· <b>Evaporation rate</b>	<i>Not applicable.</i>
· <b>Solubility in / Miscibility with Water:</b>	<i>Insoluble.</i>
· <b>Partition coefficient (n-octanol/water):</b>	<i>Not determined.</i>
· <b>Viscosity:</b>	
<b>Dynamic:</b>	<i>Not applicable.</i>
<b>Kinematic:</b>	<i>Not applicable.</i>
· <b>Solvent content:</b>	
<b>Organic solvents:</b>	<i>0.0 %</i>
<b>Water:</b>	<i>45 - 55</i>
· <b>Solids content:</b>	<i>45 - 55</i>
· <b>Other information</b>	<i>No further relevant information available.</i>

**10 Stability and reactivity**

- **Reactivity**
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** *No decomposition if used according to specifications.*
- **Possibility of hazardous reactions** *No dangerous reactions known.*
- **Conditions to avoid** *No further relevant information available.*
- **Incompatible materials:** *No further relevant information available.*
- **Hazardous decomposition products:** *No dangerous decomposition products known.*

**11 Toxicological information**

- **Information on toxicological effects**
- **Acute toxicity:**
- **Primary irritant effect:**
- **on the skin:** *No irritant effect.*
- **on the eye:** *Strong irritant with the danger of severe eye injury.*
- **Sensitization:** *No sensitizing effects known.*
- **Additional toxicological information:**  
*The product shows the following dangers according to internally approved calculation methods for preparations:*  
*Irritant*
- **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**

*None of the ingredients is listed.*

· **NTP (National Toxicology Program)**

*None of the ingredients is listed.*

· **OSHA-Ca (Occupational Safety & Health Administration)**

*None of the ingredients is listed.*

**12 Ecological information**

- **Toxicity**
- **Aquatic toxicity:** *No further relevant information available.*
- **Persistence and degradability** *No further relevant information available.*
- **Bioaccumulative potential** *No further relevant information available.*
- **Mobility in soil** *No further relevant information available.*

**Trade name:** *Tulsion T-63 MP (Wet)*

- **Additional ecological information:**
- **General notes:**  
*Water hazard class 1 (Self-assessment): slightly hazardous for water  
 Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.*
- **Results of PBT and vPvB assessment**
- **PBT:** *Not applicable.*
- **vPvB:** *Not applicable.*
- **Other adverse effects** *No further relevant information available.*

**13 Disposal considerations**

- **Waste treatment methods**
- **Recommendation:**  
*Must not be disposed of together with household garbage. Do not allow product to reach sewage system.*
- **Uncleaned packagings:**
- **Recommendation:** *Disposal must be made according to official regulations.*

**14 Transport information**

- |  |                 |
|--|-----------------|
| · <b>UN-Number</b>   |                 |
| · <b>DOT, ADR, ADN, IMDG, IATA</b>   | Void            |
| · <b>UN proper shipping name</b>   |                 |
| · <b>DOT, ADR, ADN, IMDG, IATA</b>   | Void            |
| · <b>Transport hazard class(es)</b>  |                 |
| · <b>DOT, ADR, ADN, IMDG, IATA</b>   |                 |
| · <b>Class</b>   | Void            |
| · <b>Packing group</b>   |                 |
| · <b>DOT, ADR, IMDG, IATA</b>  | Void            |
| · <b>Environmental hazards:</b>  |                 |
| · <b>Marine pollutant:</b>   | No              |
| · <b>Special precautions for user</b>  | Not applicable. |
| · <b>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b> | Not applicable. |
| · <b>UN "Model Regulation":</b>  | -               |

**15 Regulatory information**

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Sara**

· **Section 355 (extremely hazardous substances):**

*None of the ingredients is listed.*

· **Section 313 (Specific toxic chemical listings):**

*None of the ingredients is listed.*

· **TSCA (Toxic Substances Control Act):**

*All ingredients are listed.*

**Trade name:** *Tulsion T-63 MP (Wet)*

· **Proposition 65**

· **Chemicals known to cause cancer:**

*None of the ingredients is listed.*

· **Chemicals known to cause reproductive toxicity for females:**

*None of the ingredients is listed.*

· **Chemicals known to cause reproductive toxicity for males:**

*None of the ingredients is listed.*

· **Chemicals known to cause developmental toxicity:**

*None of the ingredients is listed.*

· **Carcinogenic categories**

· **EPA (Environmental Protection Agency)**

*None of the ingredients is listed.*

· **TLV (Threshold Limit Value established by ACGIH)**

*TLV (ACGIH): 1000 ppm.*

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

*None of the ingredients is listed.*

· **Product related hazard informations:**

*The product has been classified and marked in accordance with directives on hazardous materials.*

· **Hazard symbols:**



*Irritant*

· **Risk phrases:**

*Risk of serious damage to eyes.*

· **Safety phrases:**

*Keep out of the reach of children.*

*In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.*

*Wear eye/face protection.*

*If swallowed, seek medical advice immediately and show this container or label.*

*Dispose of this material and its container to hazardous or special waste collection point.*

· **Chemical safety assessment:** *A Chemical Safety Assessment has not been carried out.*

**16 Other information**

*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.*

· **Abbreviations and acronyms:**

*ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)*

*IMDG: International Maritime Code for Dangerous Goods*

*DOT: US Department of Transportation*

*IATA: International Air Transport Association*

*ACGIH: American Conference of Governmental Industrial Hygienists*

*EINECS: European Inventory of Existing Commercial Chemical Substances*

*ELINCS: European List of Notified Chemical Substances*

*CAS: Chemical Abstracts Service (division of the American Chemical Society)*

*NFPA: National Fire Protection Association (USA)*

*HMIS: Hazardous Materials Identification System (USA)*

*Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1*