

1 Identification

- **Trade name:** Tulsion T-63 MP (Dry)
- **Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.
- **Application of the substance / the mixture**
Industrial water treatment, Condensate Polishing Unit, Demineralization, Ultrapure water production
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Thermax Limited, Chemical Division,
97-E, General Block, MIDC Industrial Area,
Bhosari, Pune 411 026
India
- **Information department:**
Tel: 91-20-66128100/66128226/66128224
Off. No.: +91 -20-66128100/200
Fax No. 020-27120206
- **Emergency telephone number:** +91 20-66128100/200
24 hour emergency assistance: 00 91-20-66128100/200

2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS05 Corrosion

Eye Dam. 1 H318 Causes serious eye damage.

- **Classification according to Directive 67/548/EEC or Directive 1999/45/EC**



Irritant

Risk of serious damage to eyes.

- **Information concerning particular hazards for human and environment:**

The product has to be labeled due to the calculation procedure of international guidelines.

- **Classification system:**

The classification was made according to the latest editions of international substances lists, and expanded upon from company and literature data.

- **Label elements**

- **Labelling according to EU guidelines:**

The product has been classified and marked in accordance with directives on hazardous materials.

- **Code letter and hazard designation of product:**



Irritant

- **Risk phrases:**

Risk of serious damage to eyes.

- **Safety phrases:**

Keep out of the reach of children.

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

Wear eye/face protection.

If swallowed, seek medical advice immediately and show this container or label.


Dispose of this material and its container to hazardous or special waste collection point.

Trade name: *Tulsion T-63 MP (Dry)*

- **Classification system:**
- **NFPA ratings (scale 0 - 4)**



- **HMIS-ratings (scale 0 - 4)**



- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on ingredients

- **Chemical characterization:** *Mixtures*
- **Description:** *Mixture of the substances listed below with nonhazardous additions.*

· **Dangerous components:**

69011-20-7	Sulfonated copolymer of styrene and divinylbenzene in the Hydrogen form	98% min
7732-18-5	Water	2 % max

4 First-aid measures

- **Description of first aid measures**
- **After inhalation:** *Supply fresh air; consult doctor in case of complaints.*
- **After skin contact:** *Generally the product does not irritate the skin.*
- **After eye contact:** *Rinse opened eye for several minutes under running water. Then consult a doctor.*
- **After swallowing:**
If swallowed, wash out mouth with water provided person is conscious.
If symptoms persist consult doctor.
- **Most important symptoms and effects, both acute and delayed** *No further relevant information available.*
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**
CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Special hazards arising from the substance or mixture** *Emits toxic fumes under fire conditions.*
- **Advice for firefighters**
- **Protective equipment:**
No special measures required.
Wear positive pressure self contained breathing apparatus (SCBA) and protective fire fighting clothing.
- **Additional information**
Keep people away. Isolate fire and deny unnecessary entry. Cool surroundings with water to localize fire zone.

Trade name: *Tulsion T-63 MP (Dry)*

6 Accidental release measures

· **Personal precautions, protective equipment and emergency procedures**

Evacuate personnel to safe areas.

Ensure adequate ventilation.

Avoid contact with the skin and the eyes.

Wear protective gloves/protective clothing/eye protection/face protection.

Take off contaminated clothing and shoes immediately.

Wash contaminated clothing before re-use.

· **Environmental precautions:** *Do not allow to enter sewers/ surface or ground water.*

· **Methods and material for containment and cleaning up:**

Pick up mechanically.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Ensure adequate ventilation.

· **Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· **Precautions for safe handling**

Avoid contact with eyes and skin.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· **Information about protection against explosions and fires:** *No special measures required.*

· **Conditions for safe storage, including any incompatibilities**

· **Storage:**

· **Requirements to be met by storerooms and receptacles:** *No special requirements.*

· **Information about storage in one common storage facility:** *Store at 0-50 degree C (32-122 degree F)*

· **Further information about storage conditions:** *None.*

· **Specific end use(s)**

Industrial water treatment,

Condensate Polishing Unit, Demineralization,

Ultrapure water production, Catalyst

8 Exposure controls/personal protection

· **Additional information about design of technical systems:** *No further data; see item 7.*

· **Control parameters**

· **Components with limit values that require monitoring at the workplace:**

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· **Additional information:** *The lists that were valid during the creation were used as basis.*

· **Exposure controls**

· **Personal protective equipment:**

· **General protective and hygienic measures:**

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

· **Breathing equipment:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Trade name: *Tulsion T-63 MP (Dry)*

· **Protection of hands:**

*The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
 Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.
 Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation*

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:**



Tightly sealed goggles

Safety glasses with side-shields conforming to EN166 Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

· **Body protection:**

Impervious clothing, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

*Form: Solid
 Color: Grey colored spherical beads
 Odor: Absent
 Odour threshold: Not determined.*

· **pH-value:** *Not applicable.*

· **Change in condition**

*Melting point/Melting range: Undetermined.
 Boiling point/Boiling range: 100 °C (212 °F)*

· **Flash point:** *Not applicable.*

· **Flammability (solid, gaseous):** *Not determined.*

· **Ignition temperature:**

Decomposition temperature: Not determined.

· **Auto igniting:** *Auto ignition temperature: 427 Deg. C [800 Deg. F]*

· **Danger of explosion:** *Product does not present an explosion hazard.*

· **Explosion limits:**

*Lower: Not determined.
 Upper: Not determined.*

· **Vapor pressure at 20 °C (68 °F):** *23 hPa (17 mm Hg)*

· **Density:** *Not determined.*

· **Relative density at 20 °C (68 °F)** *0.690 g/cm³ (5.758 lbs/gal)*

· **Vapour density** *Not applicable.*

Trade name: *Tulsion T-63 MP (Dry)*

· Evaporation rate	<i>Not applicable.</i>
· Solubility in / Miscibility with Water:	<i>Insoluble.</i>
· Partition coefficient (n-octanol/water):	<i>Not determined.</i>
· Viscosity:	
Dynamic:	<i>Not applicable.</i>
Kinematic:	<i>Not applicable.</i>
· Solvent content:	
Organic solvents:	<i>0.0 %</i>
Water:	<i>2 % max</i>
· Solids content:	<i>98% min</i>
· Other information	<i>No further relevant information available.</i>

10 Stability and reactivity

- **Reactivity**
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** *No decomposition if used according to specifications.*
- **Possibility of hazardous reactions** *No dangerous reactions known.*
- **Conditions to avoid** *No further relevant information available.*
- **Incompatible materials:** *No further relevant information available.*
- **Hazardous decomposition products:** *No dangerous decomposition products known.*

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**
- **Primary irritant effect:**
- **on the skin:** *No irritant effect.*
- **on the eye:** *Strong irritant with the danger of severe eye injury.*
- **Sensitization:** *No sensitizing effects known.*
- **Additional toxicological information:**
The product shows the following dangers according to internally approved calculation methods for preparations:
Irritant

· **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**

None of the ingredients is listed.

· **NTP (National Toxicology Program)**

None of the ingredients is listed.

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** *No further relevant information available.*
- **Persistence and degradability** *No further relevant information available.*
- **Bioaccumulative potential** *No further relevant information available.*
- **Mobility in soil** *No further relevant information available.*

Trade name: *Tulsion T-63 MP (Dry)*

- **Additional ecological information:**
- **General notes:**
Water hazard class 1 (Self-assessment): slightly hazardous for water
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **Results of PBT and vPvB assessment**
- **PBT:** *Not applicable.*
- **vPvB:** *Not applicable.*
- **Other adverse effects** *No further relevant information available.*

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:** *Disposal must be made according to official regulations.*

14 Transport information

- | | |
|--|-----------------|
| · UN-Number | |
| · DOT, ADR, ADN, IMDG, IATA | Void |
| · UN proper shipping name | |
| · DOT, ADR, ADN, IMDG, IATA | Void |
| · Transport hazard class(es) | |
| · DOT, ADR, ADN, IMDG, IATA | |
| · Class | Void |
| · Packing group | |
| · DOT, ADR, IMDG, IATA | Void |
| · Environmental hazards: | |
| · Marine pollutant: | No |
| · Special precautions for user | Not applicable. |
| · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code | Not applicable. |
| · UN "Model Regulation": | - |

15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Sara**
- **Section 355 (extremely hazardous substances):**
None of the ingredients is listed.
- **Section 313 (Specific toxic chemical listings):**
None of the ingredients is listed.
- **TSCA (Toxic Substances Control Act):**
All ingredients are listed.

Trade name: *Tulsion T-63 MP (Dry)*

· **Proposition 65**

· **Chemicals known to cause cancer:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

· **Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

· **Carcinogenic categories**

· **EPA (Environmental Protection Agency)**

None of the ingredients is listed.

· **TLV (Threshold Limit Value established by ACGIH)**

TLV (ACGIH): 1000 ppm.

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

· **Product related hazard informations:**

The product has been classified and marked in accordance with directives on hazardous materials.

· **Hazard symbols:**



Irritant

· **Risk phrases:**

Risk of serious damage to eyes.

· **Safety phrases:**

Keep out of the reach of children.

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

Wear eye/face protection.

If swallowed, seek medical advice immediately and show this container or label.

Dispose of this material and its container to hazardous or special waste collection point.

· **Chemical safety assessment:** *A Chemical Safety Assessment has not been carried out.*

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1